



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/813,781	03/31/2004	James Lee Gardiner	CC-3643	5225
23377 7590 03/11/2009 WOODCOCK WASHBURN LLP CIRA CENTRE, 12TH FLOOR 2929 ARCH STREET PHILADELPHIA, PA 19104-2891				
EXAMINER				
SMALLEY, JAMES N				
ART UNIT		PAPER NUMBER		
3781				
MAIL DATE		DELIVERY MODE		
03/11/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/813,781

Applicant(s)

GARDINER, JAMES LEE

Examiner

JAMES N. SMALLEY

Art Unit

3781

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 January 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8, 10-20 and 23-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8, 10-12, 17-20, 23-26, and 32-36 is/are rejected.
- 7) ☒ Claim(s) 13-16 and 27-31 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 1/29/2009
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on January 15, 2009 has been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-8, 10-12, 17-20, 23-26, and 32-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blanco US 5,292,022 in view of Howard US 4,927,048.

Blanco '022 teaches a cover for a beverage can in the embodiment of figures 2-3, comprising an adhesive protector (7'), which covers the top surface, but does not cover the pull ring (6'). The central rivet (8) remains exposed, and is taught in column 3, line 47 to be a "usual rivet" which are formed by a section of the top panel. Thus, with the cover applied, a portion of the center panel remains exposed. The top panel further includes reinforcing ribs (4'), and the cover could be formed of plastic, as taught in column 2, line 48.

The reference fails to teach an annular groove, or the filler material filling the groove.

Howard '048 teaches a beverage can end, having an annular groove and a protective cover, showing the protective cover fits into the annular groove (16). Annular grooves, or countersinks, are known to provide increased resistance to internal pressure.

Art Unit: 3781

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the can of Blanco '022, providing an annular groove, and fitting the protective cover therein, motivated by the benefit of providing a sanitary cover over all portions of the end wall, and by the benefit of providing reinforcement to the end panel.

Regarding new claims 34-36, Examiner notes the claims do not require that the entire groove be covered by the filler material. Thus, Examiner asserts the condition shown in Blanco figure 3 meets the claimed limitations, as the separable portion (1') is exposed, while the back portion of the groove is covered by the filler material.

Allowable Subject Matter

4. Claims 13-16 and 27-31 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

5. Applicant's arguments filed January 15, 2009 have been fully considered but they are not persuasive.

a) Applicant argues the combination of Blanco in view of Howard fails to teach the filler material formed as a ring.

Examiner notes that because the central rivet (8) of Blanco is exposed, the cover/filler material is inherently formed as a ring.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAMES N. SMALLEY whose telephone number is (571)272-4547. The examiner can normally be reached on Monday - Friday 10 am - 7 pm.

Art Unit: 3781

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Stashick can be reached on (571) 272-4561. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Anthony D Stashick/
Supervisory Patent Examiner, Art Unit
3781

/James N Smalley/
Examiner, Art Unit 3781